




SPZ - 1



1




4




8

descrizione	gole	dp	de	tipo	bussola	foro MAX	Dm	Di	E	F	L	R	S	Kg.
*SPZ 50 01	1	50	54	8	1008	25		26		37	25		12	0,40
*SPZ 56 01	1	56	60	8	1008	25		32		37	25		12	0,50
*SPZ 60 01	1	60	64	1	1008	25				22	22			0,50
SPZ 63 01	1	63	67	1	1108	28	56			16	22	6		0,40
SPZ 67 01	1	67	71	1	1108	28	60			16	22	6		0,50
SPZ 71 01	1	71	75	1	1108	28	60			16	22	6		0,50
SPZ 75 01	1	75	79	1	1108	28	60			16	22	6		0,60
SPZ 80 01	1	80	84	1	1210	32	75			16	25	9		0,60
SPZ 85 01	1	85	89	1	1210	32	80			16	25	9		0,80
SPZ 90 01	1	90	94	1	1210	32	80			16	25	9		0,80
SPZ 95 01	1	95	99	1	1210	32	85			16	25	9		0,90
SPZ 100 01	1	100	104	1	1210	32	85			16	25	9		0,90
SPZ 106 01	1	106	110	1	1610	42	92			16	25	9		1,00
SPZ 112 01	1	112	116	1	1610	42	92			16	25	9		1,10
SPZ 118 01	1	118	122	1	1610	42	92			16	25	9		1,30
SPZ 125 01	1	125	129	1	1610	42	92			16	25	9		1,40
SPZ 132 01	1	132	136	1	1610	42	92			16	25	9		1,50
SPZ 140 01	1	140	144	1	1610	42	92			16	25	9		1,50
SPZ 150 01	1	150	154	1	1610	42	92			16	25	9		1,60
SPZ 160 01	1	160	164	1	1610	42	92			16	25	9		1,70
SPZ 170 01	1	170	174	1	1610	42	92			16	25	9		1,80
SPZ 180 01	1	180	184	4	1610	42	92	152		16	25	9		2,00
SPZ 190 01	1	190	194	4	1610	42	92	162		16	25	9		2,20
SPZ 200 01	1	200	204	4	2012	50	112	171		16	32	16		2,60
SPZ 224 01	1	224	228	4	2012	50	112	195		16	32	16		2,80
SPZ 250 01	1	250	254	4	2012	50	112	221		16	32	8	8	3,20
SPZ 280 01	1	280	284	4	2012	50	112	251		16	32	8	8	3,50
SPZ 315 01	1	315	319	4	2012	50	112	286		16	32	8	8	3,80
SPZ 355 01	1	355	359	4	2012	50	112	326		16	32	8	8	4,20


SPZ - 2




1



4




7



8


descrizione	gole	dp	de	tipo	bussola	foro MAX	Dm	Di	E	F	L	R	S	Kg.
*SPZ 50 02	2	50	54	8	1008	25		26		50	25		25	0,30
*SPZ 56 02	2	56	60	8	1008	25		32		49	22		27	0,60
SPZ 60 02	2	60	64	8	1108	28		36		49	22		27	0,60
SPZ 63 02	2	63	67	8	1108	28		40		28	22		6	0,50
SPZ 67 02	2	67	71	8	1108	28		42		28	22		6	0,50
SPZ 71 02	2	71	75	8	1108	28		42		28	22		6	0,50
SPZ 75 02	2	75	79	8	1210	32		51		28	25		3	0,60
SPZ 80 02	2	80	84	8	1210	32		51		28	25		3	0,70
SPZ 85 02	2	85	89	8	1610	42		60		28	25		3	0,51
SPZ 90 02	2	90	94	8	1610	42		61		28	25		3	0,80
SPZ 95 02	2	95	99	8	1610	42		66		28	25		3	0,80
SPZ 100 02	2	100	104	8	1610	42		71		28	25		3	1,20
SPZ 106 02	2	106	110	8	1610	42		76		28	25		3	1,20
SPZ 112 02	2	112	116	8	1610	42		83		28	25		3	1,30
SPZ 118 02	2	118	122	8	1610	42		90		28	25		3	1,40
SPZ 125 02	2	125	129	8	1610	42		96		28	25		3	1,70
SPZ 132 02	2	132	136	8	1610	42		103		28	25		3	2,00
SPZ 140 02	2	140	144	8	1610	42		111		28	25		3	2,20
SPZ 150 02	2	150	154	1	2012	50	112			28	32	4		2,30
SPZ 160 02	2	160	164	1	2012	50	112			28	32	4		2,50
SPZ 170 02	2	170	174	1	2012	50	112			28	32	4		2,60
SPZ 180 02	2	180	184	7	2012	50	112	152	10	28	32	4		2,90
SPZ 190 02	2	190	194	7	2012	50	112	162	10	28	32	4		3,30
SPZ 200 02	2	200	204	4	2012	50	112	171		28	32	4		3,50
SPZ 224 02	2	224	228	4	2012	50	112	195		28	32	4		3,70
SPZ 250 02	2	250	254	4	2012	50	112	221		28	32	2	2	3,90
SPZ 280 02	2	280	284	4	2012	50	112	251		28	32	2	2	4,90
SPZ 315 02	2	315	319	4	2012	50	112	286		28	32	2	2	5,80
SPZ 355 02	2	355	359	4	2012	50	112	326		28	32	2	2	6,30

SPZ - 3




descrizione	gole	dp	de	tipo	bussola	foro MAX	Dm	Di	E	F	L	R	S	Kg.
SPZ 63 03	3	63	67	8	1108	28		40		40	22		18	0,50
SPZ 67 03	3	67	71	8	1108	28		42		40	22		18	0,70
SPZ 71 03	3	71	75	8	1108	28		42		40	22		18	0,70
SPZ 75 03	3	75	79	8	1210	32		51		40	25		15	0,80
SPZ 80 03	3	80	84	8	1210	32		51		40	25		15	0,80
SPZ 85 03	3	85	89	8	1610	42		60		40	25		15	0,80
SPZ 90 03	3	90	94	8	1610	42		61		40	25		15	0,90
SPZ 95 03	3	95	99	8	1610	42		66		40	25		15	1,10
SPZ 100 03	3	100	104	8	1610	42		71		40	25		15	1,20
SPZ 106 03	3	106	110	8	1610	42		76		40	25		15	1,40
SPZ 112 03	3	112	116	8	2012	50		83		40	32		8	1,50
SPZ 118 03	3	118	122	8	2012	50		90		40	32		8	1,60
SPZ 125 03	3	125	129	2	2012	50		96		40	32	8		2,00
SPZ 132 03	3	132	136	2	2012	50		103		40	32	8		2,40
SPZ 140 03	3	140	144	2	2010	50		111		40	32	8		2,80
SPZ 150 03	3	150	154	2	2012	50		121		40	32	8		3,40
SPZ 160 03	3	160	164	2	2012	50		131		40	32	8		3,60
SPZ 170 03	3	170	174	3	2012	50		141		40	32	4	4	3,70
SPZ 180 03	3	180	184	6	2012	50	106	151	7	40	32	8		3,70
SPZ 190 03	3	190	194	6	2012	50	112	161	10	40	32	4	4	4,00
SPZ 200 03	3	200	204	5	2012	50	112	171		40	32	4	4	4,30
SPZ 224 03	3	224	228	5	2012	50	112	195		40	32	4	4	4,70
SPZ 250 03	3	250	254	5	2012	50	112	221		40	32	4	4	5,40
SPZ 280 03	3	280	284	4	2517	65	124	251		40	45	2,5	2,5	6,50
SPZ 315 03	3	315	319	4	2517	65	124	286		40	45	2,5	2,5	7,80
SPZ 355 03	3	355	359	4	2517	65	124	326		40	45	2,5	2,5	8,90

SPA - 1




1




4

descrizione	gole	dp	de	tipo	bussola	foro MAX	Dm	Di	E	F	L	R	S	Kg.
SPA 63 01	1	63	68,5	1	1008	25	56			20	22	2		0,26
SPA 67 01	1	67	72,5	1	1108	28	56			20	22	2		0,29
SPA 71 01	1	71	76,5	1	1108	28	60			20	22	2		0,50
SPA 75 01	1	75	80,5	1	1108	28	60			20	22	2		0,60
SPA 80 01	1	80	85,5	1	1210	32	75			20	25	5		0,60
SPA 85 01	1	85	90,5	1	1210	32	80			20	25	5		0,70
SPA 90 01	1	90	95,5	1	1210	32	80			20	25	5		0,70
SPA 95 01	1	95	100,5	1	1210	32	85			20	25	5		0,80
SPA 100 01	1	100	105,5	1	1610	42	85			20	25	5		0,90
SPA 106 01	1	106	111,5	1	1610	42	92			20	25	5		1,00
SPA 112 01	1	112	117,5	1	1610	42	92			20	25	5		1,20
SPA 118 01	1	118	123,5	1	1610	42	92			20	25	5		1,30
SPA 125 01	1	125	130,5	1	1610	42	92			20	25	5		1,40
SPA 132 01	1	132	137,5	1	1610	42	92			20	25	5		1,50
SPA 140 01	1	140	145,5	1	1610	42	92			20	25	5		1,60
SPA 150 01	1	150	155,5	1	1610	42	92			20	25	5		1,70
SPA 160 01	1	160	165,5	1	1610	42	92			20	25	5		2,00
SPA 170 01	1	170	175,5	1	1610	42	92			20	25	5		1,80
SPA 180 01	1	180	185,5	4	1610	42	92	145		20	25	5		1,90
SPA 190 01	1	190	195,5	4	1610	42	92	156		20	25	5		2,50
SPA 200 01	1	200	205,5	4	2012	50	108	165		20	32	12		2,80
SPA 212 01	1	212	217,5	4	2012	50	110	177		20	32	12		2,90
SPA 224 01	1	224	229,5	4	2012	50	112	189		20	32	12		3,00
SPA 236 01	1	236	241,5	4	2012	50	112	202		20	32	12		3,20
SPA 250 01	1	250	255,5	4	2012	50	112	215		20	32	6	6	3,60
SPA 280 01	1	280	285,5	4	2012	50	112	245		20	32	12		4,20
SPA 300 01	1	300	305,5	4	2012	50	112	265		20	32	12		4,30
SPA 315 01	1	315	320,5	4	2012	50	112	280		20	32	12		5,20


SPA - 2




4



6




7




8

descrizione	gole	dp	de	tipo	bussola	foro MAX	Dm	Di	E	F	L	R	S	Kg.
*SPA 63 02	2	63	68,5	8	1008	25		32,5		35	22		13	0,50
SPA 67 02	2	67	72,5	8	1108	28		37		35	22		13	0,60
SPA 71 02	2	71	76,5	8	1108	28		40		35	22		13	0,60
SPA 75 02	2	75	80,5	8	1108	28		44		35	25		13	0,70
SPA 80 02	2	80	85,5	8	1210	32		50		35	25		10	0,70
SPA 85 02	2	85	90,5	8	1210	32		55		35	25		10	0,80
SPA 90 02	2	90	95,5	8	1610	42		59		35	25		10	0,90
SPA 95 02	2	95	100,5	8	1610	42		63		35	25		10	1,00
SPA 100 02	2	100	105,5	8	1610	42		66		35	25		10	1,00
SPA 106 02	2	106	111,5	8	1610	42		72		35	25		10	1,20
SPA 112 02	2	112	117,5	8	1610	42		78		35	25		10	1,40
SPA 118 02	2	118	123,5	8	1610	42		84		35	25		10	1,70
SPA 125 02	2	125	130,5	8	1610	42		91		35	25		10	1,90
SPA 132 02	2	132	137,5	8	2012	50		98		35	32		3	2,10
SPA 140 02	2	140	145,5	8	2012	50		106		35	32		3	2,60
SPA 150 02	2	150	155,5	8	2012	50		116		35	32		3	3,20
SPA 160 02	2	160	165,5	8	2012	50		125		35	32		3	3,60
SPA 170 02	2	170	175,5	8	2012	50		135		35	32		3	4,00
SPA 180 02	2	180	185,5	6	2012	50	108	146	10	35	32	1,5	1,5	4,07
SPA 190 02	2	190	195,5	6	2012	50	108	156	10	35	32	1,5	1,5	4,40
SPA 200 02	2	200	205,5	7	2517	65	123	163	10	35	45	5	5	4,50
SPA 212 02	2	212	217,5	4	2517	65	123	177		35	45	5	5	4,70
SPA 224 02	2	224	229,5	4	2517	65	124	189		35	45	10		5,00
SPA 236 02	2	236	241,5	4	2517	65	124	202		35	45	10		5,40
SPA 250 02	2	250	255,5	4	2517	65	124	215		35	45	5	5	5,60
SPA 280 02	2	280	285,5	4	2517	65	124	245		35	45	10		6,20
SPA 300 02	2	300	305,5	4	2517	65	124	265		35	45	10		6,80
SPA 315 02	2	315	320,5	4	2517	65	124	280		35	45	10		7,20
SPA 355 02	2	355	360,5	4	2517	65	124	320		35	45	10		9,40


SPA - 3




2




4



5




6




8

descrizione	gole	dp	de	tipo	bussola	foro MAX	Dm	Di	E	F	L	R	S	Kg.
SPA 71 03	3	71	76,5	8	1108	28		40		50	22		28	0,80
SPA 75 03	3	75	80,5	8	1108	28		44		50	22		28	0,90
SPA 80 03	3	80	85,5	8	1210	32		50		50	25		25	1,10
SPA 85 03	3	85	90,5	8	1210	32		55		50	25		25	1,20
SPA 90 03	3	90	95,5	8	1610	42		59		50	25		25	1,30
SPA 95 03	3	95	100,5	8	1610	42		63		50	25		25	1,50
SPA 100 03	3	100	105,5	2	1610	42		66		50	25	25		1,80
SPA 106 03	3	106	111,5	2	1610	42		72		50	25	25		2,10
SPA 112 03	3	112	117,5	8	2012	50		78		50	32		18	2,30
SPA 118 03	3	118	123,5	2	2012	50		84		50	32	18		2,50
SPA 125 03	3	125	130,5	2	2012	50		91		50	32	18		2,70
SPA 132 03	3	132	137,5	2	2012	50		98		50	32	18		2,90
SPA 140 03	3	140	145,5	8	2517	65		106		50	45		5	3,20
SPA 150 03	3	150	155,5	8	2517	65		116		50	45		5	3,50
SPA 160 03	3	160	165,5	8	2517	65		125		50	45		5	4,50
SPA 170 03	3	170	175,5	8	2517	65		135		50	45		5	5,00
SPA 180 03	3	180	185,5	8	2517	65		146		50	45		5	5,50
SPA 190 03	3	190	195,5	8	2517	65		156		50	45		5	6,30
SPA 200 03	3	200	205,5	6	2517	65	123	165	20	50	45	2,5	2,5	5,80
SPA 212 03	3	212	217,5	5	2517	65	123	177		50	45	2,5	2,5	6,00
SPA 224 03	3	224	229,5	5	2517	65	124	189		50	45	2,5	2,5	6,30
SPA 236 03	3	236	241,5	5	2517	65	124	202		50	45	2,5	2,5	6,60
SPA 250 03	3	250	255,5	5	2517	65	124	215		50	45	2,5	2,5	7,30
SPA 280 03	3	280	285,5	5	2517	65	124	245		50	45	2,5	2,5	8,00
SPA 300 03	3	300	305,5	4	3020	75	159	265		50	51	0,5	0,5	9,10
SPA 315 03	3	315	320,5	4	3020	75	159	280		50	51	0,5	0,5	9,40
SPA 355 03	3	355	360,5	4	3020	75	159	320		50	51	0,5	0,5	11,50


SPB - 1




1



4




6




7

descrizione	gole	dp	de	tipo	bussola	foro MAX	Dm	Di	E	F	L	R	S	Kg.
SPB 100 01	1	100	107	1	1610	42				25	25			0,90
SPB 106 01	1	106	113	1	1610	42				25	25			1,00
SPB 112 01	1	112	119	1	1610	42				25	25			1,20
SPB 118 01	1	118	125	1	1610	42				25	25			1,30
SPB 125 01	1	125	132	1	1610	42				25	25			1,50
SPB 132 01	1	132	139	1	1610	42				25	25			1,70
SPB 140 01	1	140	147	1	1610	42				25	25			1,80
SPB 150 01	1	150	157	1	1610	42				25	25			2,10
SPB 160 01	1	160	167	1	1610	42				25	25			2,50
SPB 170 01	1	170	177	1	1610	42				25	25			2,90
SPB 180 01	1	180	187	6	1610	42	90	132	12	25	25			3,20
SPB 190 01	1	190	197	7	2012	50	104	147	12	25	32	3,5	3,5	3,80
SPB 200 01	1	200	207	4	2012	50	104	157		25	32	3,5	3,5	4,20
SPB 212 01	1	212	219	4	2012	50	104	169		25	32	3,5	3,5	4,40
SPB 224 01	1	224	231	4	2012	50	104	181		25	32	3,5	3,5	4,70
SPB 236 01	1	236	243	4	2012	50	104	193		25	32	3,5	3,5	4,60
SPB 250 01	1	250	257	4	2012	50	104	207		25	32	3,5	3,5	5,30
SPB 280 01	1	280	287	4	2012	50	104	237		25	32	3,5	3,5	6,00
SPB 300 01	1	300	307	4	2012	50	104	258		25	32	3,5	3,5	6,50
SPB 315 01	1	315	322	4	2012	50	104	272		25	32	3,5	3,5	7,00


SPB - 2




1




2



4




7




8

descrizione	gole	dp	de	tipo	bussola	foro MAX	Dm	Di	E	F	L	R	S	Kg.
SPB 100 02	2	100	107	8	1610	42		62		44	25		19	1,40
SPB 106 02	2	106	113	8	1610	42		67		44	25		19	1,60
SPB 112 02	2	112	119	8	1610	42		72		44	25		19	1,70
SPB 118 02	2	118	125	2	1610	42		78		44	25	19		1,80
SPB 125 02	2	125	132	2	2012	50		82		44	32	12		1,90
SPB 132 02	2	132	139	2	2012	50		89		44	32	12		2,50
SPB 140 02	2	140	147	2	2012	50		97		44	32	12		2,70
SPB 150 02	2	150	157	2	2012	50		107		44	32	12		3,20
SPB 160 02	2	160	167	2	2012	50		117		44	32	12		3,80
SPB 170 02	2	170	177	2	2012	50		127		44	32	12		4,80
SPB 180 02	2	180	187	1	2517	65	120			44	45	1		6,30
SPB 190 02	2	190	197	1	2517	65	120			44	45	1		7,20
SPB 200 02	2	200	207	1	2517	65	117			44	45	1		8,20
SPB 212 02	2	212	219	7	2517	65	117	169	15	44	45	1		5,40
SPB 224 02	2	224	231	4	2517	65	117	181		44	45	1		5,90
SPB 236 02	2	236	243	4	2517	65	117	193		44	45	1		6,60
SPB 250 02	2	250	257	4	2517	65	125	207		44	45	1		7,10
SPB 265 02	2	265	272	4	2517	65	125	222		44	45	1		7,20
SPB 280 02	2	280	287	4	2517	65	125	237		44	45	1		7,40
SPB 300 02	2	300	307	4	2517	65	125	257		44	45	1		8,60
SPB 315 02	2	315	322	4	2517	65	125	272		44	45	1		9,90
SPB 335 02	2	335	342	4	2517	65	125	292		44	45	1		11,30


SPB - 3




2




4



5



6



8

descrizione	gole	dp	de	tipo	bussola	foro MAX	Dm	Di	E	F	L	R	S	Kg.
SPB 100 03	3	100	107	8	1610	42		62		63	25		38	1,90
SPB 106 03	3	106	113	8	1610	42		67		63	25		38	2,20
SPB 112 03	3	112	119	8	1610	42		72		63	25		38	2,40
SPB 118 03	3	118	125	2	1610	42		78		63	25	38		2,60
SPB 125 03	3	125	132	2	2012	50		82		63	32	31		3,20
SPB 132 03	3	132	139	2	2012	50		89		63	32	31		3,20
SPB 140 03	3	140	147	2	2012	50		97		63	32	31		3,60
SPB 150 03	3	150	157	2	2517	65		107		63	45	18		4,00
SPB 160 03	3	160	167	2	2517	65		117		63	45	18		4,50
SPB 170 03	3	170	177	2	2517	65		127		63	45	18		5,30
SPB 180 03	3	180	187	2	2517	65		137		63	45	18		5,90
SPB 190 03	3	190	197	2	2517	65		147		63	45	18		6,50
SPB 200 03	3	200	207	2	2517	65		157		63	45	18		6,70
SPB 212 03	3	212	219	6	2517	65	117	169	15	63	45	18		6,90
SPB 224 03	3	224	231	5	2517	65	117	181		63	45	18		7,50
SPB 236 03	3	236	243	5	2517	65	117	193		63	45	18		8,80
SPB 250 03	3	250	257	5	3020	75	144	207		63	51	12		10,20
SPB 265 03	3	265	272	5	3020	75	144	222		63	51	6	6	10,80
SPB 280 03	3	280	287	5	3020	75	144	237		63	51	6	6	11,30
SPB 300 03	3	300	307	5	3020	75	144	257		63	51	6	6	12,30
SPB 315 03	3	315	322	5	3020	75	144	272		63	51	6	6	13,50
SPB 335 03	3	335	342	5	3020	75	144	292		63	51	6	6	14,70
SPB 355 03	3	355	362	5	3020	75	144	312		63	51	6	6	15,90